Eureka Example Project

Jira Project Configuration Documentation

Exported by Glass Project Documentation for Jira

Export Details

Export Date	07/Sep/19 3:25 PM
Exported by	Balázs Szakál
Instance URL	https://glass.demo.codecanvas.hu
Issue Types	5
Unique Workflows	4
Project Roles	3

General

Project Name	Eureka Example Project
Key	GLASSDEMO
Type	software
Category	Demo Category
Lead	Balázs Szakál
Default Assignee	Unassigned
Project URL	https://marketplace.atlassian.com/apps/1219628/glass-project-documentation-for-jira
Issue Types	Task Sub-task Story Bug Epic

Schemes

Jira projects can be configured through Schemes by Administrators, which provides endless flexibility.
When a Scheme is assigned to several projects, all modifications take effect on all the assigned projects.
If your project has a specific configuration, it's suggested to use unique (not shared) Schemes.

Scheme	Name	Occurence
Issue Type Scheme	GLASSDEMO: Scrum Issue Type Scheme	1
Workflow Scheme	GLASSDEMO: Software Simplified Workflow Scheme	1
Issue Type Screen Scheme	GLASSDEMO: Scrum Issue Type Screen Scheme	1
Field Configuration Scheme	System Default Field Configuration	2
Permission Scheme	Default software scheme	1
Notification Scheme	Default Notification Scheme	2

Components

Components are sub-sections of a project. They're used to group issues within a project into smaller parts.
Components can have a Lead and a Default Assignee which can be useful when auto-assigning issues.

Component	Issues	Lead	Default Assigne	Description
Backend	1	Balázs Szakál	Component Lead:Balázs Szakál	Backend Issues
Frontend	2	Glass Test User	Project Lead:Balázs Szakál	Frontend Issues
Quality	1	Balázs Szakál	Project Lead:Unassigned	Software Testing

Versions

Versions are points-in-time for a project and help you organize and schedule your releases.
Once a version is created and issues are assigned to it, you can use the version to filter information in various reports.
There are many cases when versions are not essential for a project.

Version	Status	Start date	Release date	Description
v1.0	Released	01/May/18 12:00 AM	28/Dec/18 12:00 AM	Initial release
v1.1	Released	01/Jan/19 12:00 AM	11/Jan/19 12:00 AM	Added Notification Matrix
v1.2	Unreleased	14/Jan/19 12:00 AM	31/Jan/19 12:00 AM	

Issue Types and Workflows

Configuration Possibilities in Jira

About Issue Types

In Jira tasks are organized into Projects. Every issue is part of exactly one project, and every issue has an attribute called Issue Type. Workflows are assigned to Issue Types by project, which means an Issue Type can have different Workflows in different projects.

About Workflows

A Jira workflow is a set of statuses and transitions that an issue moves through during its lifecycle. A Status (colorful box) represents the Issue's status, while outgoing transitions (arrows) describes the next possible statuses.

About Transitions

Issue status changes through Transitions. A Transition can be Initial, Unique, Reused or Global. While moving through a transition, a Screen may pop up to allow us to enter data, eg. Resolution when Closing. Conditions are being applied before the transition, they can control if the transition is available for the user or not. During the transition Validators are applied. They can control if the user met the expected changes, eg. Comment added or Field filled. After a transition is executed, additional actions are being processing automatically with Post Functions. There are many Default Post Functions eg. Fire Event, but Administrators can add more and customize them. Also there are many 3rd party add-ons that can add extra possibilities to transitions, eg. Run Script, Create Sub-tasks, Send Customized Email.

About Screens

Screens are groups of fields to appear for the user at specific issue operations. The 3 main issue operations: Create Issue, Edit Issue, View Issue, which can have different screens with different fields configured. There are several field types, but it is possible to create various custom fields with custom options.

Task workflow - jira

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
1	⬤	**Create Issue**	`Open`	initial	PMD: Project Management Create Issue Screen	Conditions: 0 Validators: 1 Post Functions: 2

Validators
Only users with **Create Issues** permission can execute this transition.

Post Functions
Creates the issue originally.
Fire a **Issue Created** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
2	`Open` `In Progress` `Reopened`	**Close Issue**	`Closed`	common		Conditions: 2 Validators: 0 Post Functions: 5

Conditions
ALL of the following conditions (or condition groups) must be met
1. Only users with **Resolve Issues** permission can execute this transition. 2. Only users with **Close Issues** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Closed** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
3	`Resolved` `Closed`	**Reopen Issue**	`Reopened`	common		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
ALL of the following conditions (or condition groups) must be met
1. Only users with **Resolve Issues** permission can execute this transition.

Post Functions
The **Resolution** of the issue will be **cleared**.
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Reopened** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
4	Open Reopened	**Start Progress**	In Progress	common		Conditions: 1 Validators: 0 Post Functions: 7

Conditions
1. Only users with **Assignable User** permission can execute this transition.

Post Functions
The **Resolution** of the issue will be **cleared**.
Set issue status to the linked status of the destination workflow step.
Assign the issue to the current user. Please note that the issue will only be assigned to the current user if the current user has the 'Assignable User' permission.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Work Started On Issue** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
5	Open In Progress Reopened	**Resolve Issue**	Resolved	common		Conditions: 1 Validators: 0 Post Functions: 5

Conditions
ALL **of the following conditions (or condition groups) must be met**
1. Only users with **Resolve Issues** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Resolved** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
6	**In Progress**	**Stop Progress**	Open	ordinary		Conditions: 1 Validators: 0 Post Functions: 6

Conditions

1. Only users with **Assignable User** permission can execute this transition.

Post Functions

The **Resolution** of the issue will be **cleared**.

Set issue status to the linked status of the destination workflow step.

Add a comment to an issue if one is entered during a transition.

Update change history for an issue and store the issue in the database.

Re-index an issue to keep indexes in sync with the database.

Fire a **Work Stopped On Issue** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
7	Resolved	**Close Issue**	Closed	ordinary		Conditions: 1 Validators: 0 Post Functions: 5

Conditions

ALL of the following conditions (or condition groups) must be met

1. Only users with **Close Issues** permission can execute this transition.

Post Functions

Set issue status to the linked status of the destination workflow step.

Add a comment to an issue if one is entered during a transition.

Update change history for an issue and store the issue in the database.

Re-index an issue to keep indexes in sync with the database.

Fire a **Issue Closed** event that can be processed by the listeners.

Task Screens

Default Screen - PMD: Project Management Edit/View Issue Screen

Tab: Field Tab

Field Name	Field ID	Field Type
Summary	summary	System Field
Issue Type	issuetype	System Field
Reporter	reporter	System Field
Component/s	components	System Field
Attachment	attachment	System Field
Due Date	duedate	System Field
Description	description	System Field
Assignee	assignee	System Field
Priority	priority	System Field
Labels	labels	System Field
Time Tracking	timetracking	System Field

Create Screen - PMD: Project Management Create Issue Screen

Tab: Field Tab

Field Name	Field ID	Field Type
Summary	summary	System Field
Issue Type	issuetype	System Field
Reporter	reporter	System Field
Security Level	security	System Field
Attachment	attachment	System Field
Due Date	duedate	System Field
Description	description	System Field
Assignee	assignee	System Field
Priority	priority	System Field
Labels	labels	System Field
Time Tracking	timetracking	System Field

Sub-task workflow - Custom Workflow

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
1	⬤	**Create**	Open	initial	Workflow Screen	Conditions: 0 Validators: 1 Post Functions: 3
Validators						
Only users with **Create Issues** permission can execute this transition.						
Post Functions						
Creates the issue originally.						
Re-index an issue to keep indexes in sync with the database.						
Fire a **Issue Created** event that can be processed by the listeners.						

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
2	Open	**Start**	In Progress	ordinary		Conditions: 1 Validators: 1 Post Functions: 5

Conditions
1. Only the **assignee** of the issue can execute this transition.

Validators
Only users with **View Development Tools** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
3	In Progress	**Magic Here**	Custom Status	ordinary		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
1. This transition will only execute if code **has** been committed against this issue.

Post Functions
Set issue status to the linked status of the destination workflow step.
Assign the issue to the reporter.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
4	Custom Status	**Magic Done**	Resolved	ordinary	Resolve Issue Screen	Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
5	**All**	**Reopened**	Reopened	global		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
6	**In Progress** **Custom Status**	**Back to Open**	Open	common		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
7	Resolved	**Close**	Closed	ordinary		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
8	Reopened **Custom Status**	**Restart Progress**	**In Progress**	common		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
9	**All**	**Closed**	Closed	global		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

Sub-task Screens

Default Screen - Workflow Screen

Tab: Field Tab

Field Name	Field ID	Field Type
Assignee	assignee	System Field

Story workflow - PMD: Project Management Workflow

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
1		**Create**	To Do	initial	Workflow Screen	Conditions: 0 Validators: 1 Post Functions: 3

Validators
Only users with **Create Issues** permission can execute this transition.

Post Functions
Creates the issue originally.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Created** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
2	To Do	**Start Progress**	In Progress	ordinary		Conditions: 0 Validators: 0 Post Functions: 6

Post Functions
Set issue status to the linked status of the destination workflow step.
Assign the issue to the current user. Please note that the issue will only be assigned to the current user if the current user has the 'Assignable User' permission.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
3	To Do	Done	Done	ordinary		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
1. Only users with **Resolve Issues** permission can execute this transition.

Post Functions
The **Resolution** of the issue will be set to **Done**.
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
4	In Progress	Stop Progress	To Do	ordinary		Conditions: 5 Validators: 1 Post Functions: 5

Conditions
ALL of the following conditions (or condition groups) must be met

ANY of the following conditions (or condition groups) must be met
    1. Only users in project role **Administrators** can execute this transition.
    2. Only users in project role **Developers** can execute this transition.
    ANY of the following conditions (or condition groups) must be met
    1. Only the **assignee** of the issue can execute this transition.
    2. Only the **reporter** of the issue can execute this transition.
1. All sub-tasks must have one of the following statuses to allow parent issue transitions: Open In Progress or Closed

Validators
Only users with **Administer Projects** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
5	In Progress	Done	Done	ordinary		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
1. Only users with **Resolve Issues** permission can execute this transition.

Post Functions
The **Resolution** of the issue will be set to **Done**.
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
6	Done	Reopen	To Do	ordinary		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
1. Only users with **Resolve Issues** permission can execute this transition.

Post Functions
The **Resolution** of the issue will be **cleared**.
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
7	Done	Reopen and start progress	In Progress	ordinary		Conditions: 0 Validators: 0 Post Functions: 7

Post Functions
The **Resolution** of the issue will be **cleared**.
Set issue status to the linked status of the destination workflow step.
Assign the issue to the current user. Please note that the issue will only be assigned to the current user if the current user has the 'Assignable User' permission.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

Story Screens

Default Screen - Workflow Screen

Tab: Field Tab

Field Name	Field ID	Field Type
Assignee	assignee	System Field

Bug workflow - Custom Workflow

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
1		**Create**	Open	initial	Screen With Tabs	Conditions: 0 Validators: 1 Post Functions: 3

Validators
Only users with **Create Issues** permission can execute this transition.

Post Functions
Creates the issue originally.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Created** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
2	Open	**Start**	In Progress	ordinary		Conditions: 1 Validators: 1 Post Functions: 5

Conditions
1. Only the **assignee** of the issue can execute this transition.

Validators
Only users with **View Development Tools** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
3	**In Progress**	**Magic Here**	**Custom Status**	ordinary		Conditions: 1 Validators: 0 Post Functions: 6

Conditions

1. This transition will only execute if code **has** been committed against this issue.

Post Functions

Set issue status to the linked status of the destination workflow step.
Assign the issue to the reporter.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
4	**Custom Status**	**Magic Done**	**Resolved**	ordinary	Resolve Issue Screen	Conditions: 0 Validators: 0 Post Functions: 5

Post Functions

Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
5	**All**	**Reopened**	**Reopened**	global		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions

Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
6	**In Progress** **Custom Status**	**Back to Open**	**Open**	common		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
7	**Resolved**	**Close**	**Closed**	ordinary		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
8	**Reopened** **Custom Status**	**Restart Progress**	**In Progress**	common		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
9	**All**	**Closed**	**Closed**	global		Conditions: 0 Validators: 0 Post Functions: 5

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Generic Event** event that can be processed by the listeners.

Bug Screens

Default Screen - Screen With Tabs

Tab: General Tab

Field Name	Field ID	Field Type
Assignee	assignee	System Field
Attachment	attachment	System Field
Affects Version/s	versions	System Field
Development	customfield_10007	Development Summary

Tab: Agile

Field Name	Field ID	Field Type
Sprint	customfield_10000	Jira Sprint Field
Epic Color	customfield_10004	Color of Epic
Epic Status	customfield_10002	Status of Epic
Story Points	customfield_10006	Number Field
Epic Name	customfield_10003	Name of Epic
Summary	summary	System Field
Description	description	System Field

Tab: Time Tracking

Field Name	Field ID	Field Type
Time Tracking	timetracking	System Field
Log Work	worklog	System Field

Edit Screen - GLASSDEMO: Scrum Default Issue Screen

Tab: Field Tab

Field Name	Field ID	Field Type
Epic Name	customfield_10003	Name of Epic
Summary	summary	System Field
Issue Type	issuetype	System Field
Reporter	reporter	System Field
Component/s	components	System Field
Description	description	System Field
Fix Version/s	fixVersions	System Field
Priority	priority	System Field
Labels	labels	System Field
Security Level	security	System Field
Attachment	attachment	System Field
Linked Issues	issuelinks	System Field
Assignee	assignee	System Field
Epic Link	customfield_10001	Epic Link Relationship
Sprint	customfield_10000	Jira Sprint Field

Epic workflow - classic default workflow

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
1	⚪	**Create Issue**	Open	initial	Default Screen	Conditions: 0 Validators: 1 Post Functions: 2

Validators
Only users with **Create Issues** permission can execute this transition.

Post Functions
Creates the issue originally.
Fire a **Issue Created** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
2	Open — In Progress — Reopened	**Close Issue**	Closed	common		Conditions: 2 Validators: 0 Post Functions: 5

Conditions
ALL of the following conditions (or condition groups) **must be met**
1. Only users with **Resolve Issues** permission can execute this transition.   2. Only users with **Close Issues** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Closed** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
3	Resolved Closed	**Reopen Issue**	Reopened	common		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
1. Only users with **Resolve Issues** permission can execute this transition.

Post Functions
The **Resolution** of the issue will be **cleared**.
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Reopened** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
4	**Open** **Reopened**	**Start Progress**	**In Progress**	common		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
1. Only the **assignee** of the issue can execute this transition.

Post Functions
The **Resolution** of the issue will be **cleared**.
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Work Started On Issue** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
5	**Open** **In Progress** **Reopened**	**Resolve Issue**	**Resolved**	common		Conditions: 1 Validators: 0 Post Functions: 5

Conditions
1. Only users with **Resolve Issues** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Resolved** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
6	In Progress	**Stop Progress**	Open	ordinary		Conditions: 1 Validators: 0 Post Functions: 6

Conditions
1. Only the **assignee** of the issue can execute this transition.

Post Functions
The **Resolution** of the issue will be **cleared**.
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Work Stopped On Issue** event that can be processed by the listeners.

#	From Status	Transition Name	To Status	Type	Screen	Workflow Rules
7	Resolved	**Close Issue**	Closed	ordinary		Conditions: 1 Validators: 0 Post Functions: 5

Conditions
1. Only users with **Close Issues** permission can execute this transition.

Post Functions
Set issue status to the linked status of the destination workflow step.
Add a comment to an issue if one is entered during a transition.
Update change history for an issue and store the issue in the database.
Re-index an issue to keep indexes in sync with the database.
Fire a **Issue Closed** event that can be processed by the listeners.

Epic Screens

Default Screen - Default Screen

Tab: Field Tab

Field Name	Field ID	Field Type
Summary	summary	System Field
Issue Type	issuetype	System Field
Security Level	security	System Field
Priority	priority	System Field
Due Date	duedate	System Field
Component/s	components	System Field
Affects Version/s	versions	System Field
Fix Version/s	fixVersions	System Field
Assignee	assignee	System Field
Reporter	reporter	System Field
Environment	environment	System Field
Description	description	System Field
Time Tracking	timetracking	System Field
Attachment	attachment	System Field
Labels	labels	System Field

Edit Screen - GLASSDEMO: Scrum Bug Screen

Tab: Field Tab

Field Name	Field ID	Field Type
Summary	summary	System Field
Issue Type	issuetype	System Field
Reporter	reporter	System Field
Component/s	components	System Field
Description	description	System Field
Fix Version/s	fixVersions	System Field
Priority	priority	System Field
Labels	labels	System Field
Security Level	security	System Field
Environment	environment	System Field
Attachment	attachment	System Field
Affects Version/s	versions	System Field
Linked Issues	issuelinks	System Field
Assignee	assignee	System Field
Epic Link	customfield_10001	Epic Link Relationship
Sprint	customfield_10000	Jira Sprint Field

People

This section collects people working in this project. They can be assigned to the project directly, via groups, sometimes both by project administrators. People and Groups are assigned to Project Roles, while Project Roles can own different Permission sets. There are **3 users** assigned to the project, **1 of them via groups**.

Administrators

Name	Username	Email address
jira-administrators (1)		
jira-software-users (3)		
Balázs Szakál	jiraadmin	contact@codecanvas.hu

Developers

Name	Username	Email address
Balázs Szakál	jiraadmin	contact@codecanvas.hu
Glass Test User	glass	social@codecanvas.hu

Observer User

Name	Username	Email address
Glass Test User	glass	social@codecanvas.hu

Permissions in the Project

Permissions can be granted to many actor types: Single Users, Groups, Custom Field, etc. but most commonly for Project Roles. When a single Permission is assigned to a Project Role, Group, etc. each included member gets the permission individually. Currently there are 34 different Project permissions configured.

Permissions by Project Permissions

Permission	Actors with permission
Add Comments	Application Access: Any logged in user
Administer Projects	Project Role: Administrators
Assignable User	Application Access: Any logged in user
Assign Issues	Application Access: Any logged in user
Browse Projects	Application Access: Any logged in user
Close Issues	Application Access: Any logged in user
Create Attachments	Application Access: Any logged in user
Create Issues	
Delete All Attachments	Project Role: Administrators
Delete All Comments	Project Role: Administrators
Delete All Worklogs	Project Role: Administrators
Delete Issues	Project Role: Administrators
Delete Own Attachments	Application Access: Any logged in user
Delete Own Comments	Application Access: Any logged in user
Delete Own Worklogs	Application Access: Any logged in user
Edit All Comments	Project Role: Administrators
Edit All Worklogs	Project Role: Administrators
Edit Issues	Application Access: Any logged in user
Edit Own Comments	Application Access: Any logged in user
Edit Own Worklogs	Application Access: Any logged in user
View Glass Documentation	Group: Anyone Project Role: Observer User Project Lead
Link Issues	Application Access: Any logged in user
Manage Sprints	Application Access: Any logged in user
Manage Watchers	Project Role: Administrators
Modify Reporter	Project Role: Administrators
Move Issues	Application Access: Any logged in user
Resolve Issues	Application Access: Any logged in user
Schedule Issues	Application Access: Any logged in user
Set Issue Security	
Transition Issues	Application Access: Any logged in user
View Development Tools	Application Access: Any logged in user
View Read-Only Workflow	Application Access: Any logged in user
View Voters and Watchers	Application Access: Any logged in user
Work On Issues	Application Access: Any logged in user

Permissions by Actors

Actors	Owned permissions
Application Access: Any logged in user	Add Comments Assignable User Assign Issues Browse Projects Close Issues Create Attachments Delete Own Attachments Delete Own Comments Delete Own Worklogs Edit Issues Edit Own Comments Edit Own Worklogs Link Issues Manage Sprints Move Issues Resolve Issues Schedule Issues Transition Issues View Development Tools View Read-Only Workflow View Voters and Watchers Work On Issues
Project Role: Administrators	Administer Projects Delete All Attachments Delete All Comments Delete All Worklogs Delete Issues Edit All Comments Edit All Worklogs Manage Watchers Modify Reporter
Group: Anyone	View Glass Documentation
Project Role: Observer User	View Glass Documentation
Project Lead	View Glass Documentation

Notifications in the Project

Notifications by Events

Event	Actors with permission
Issue Created	Assignee Reporter All Watchers
Issue Updated	Assignee Reporter All Watchers
Issue Assigned	Assignee Reporter All Watchers
Issue Resolved	Assignee Reporter All Watchers
Issue Closed	Assignee Reporter All Watchers
Issue Commented	Assignee Reporter All Watchers
Issue Comment Edited	Assignee Reporter All Watchers
Issue Comment Deleted	
Issue Reopened	Assignee Reporter All Watchers
Issue Deleted	Assignee Reporter All Watchers
Issue Moved	Assignee Reporter All Watchers
Work Logged On Issue	Assignee Reporter All Watchers
Work Started On Issue	Assignee Reporter All Watchers
Work Stopped On Issue	Assignee Reporter All Watchers
Issue Worklog Updated	Assignee Reporter All Watchers
Issue Worklog Deleted	Assignee Reporter All Watchers
Generic Event	Assignee Reporter All Watchers

Notifications by Actors

Event	Actors with permission
Assignee	Issue Created Issue Updated Issue Assigned Issue Resolved Issue Closed Issue Commented Issue Comment Edited Issue Reopened Issue Deleted Issue Moved Work Logged On Issue Work Started On Issue Work Stopped On Issue Issue Worklog Updated Issue Worklog Deleted Generic Event
Reporter	Issue Created Issue Updated Issue Assigned Issue Resolved Issue Closed Issue Commented Issue Comment Edited Issue Reopened Issue Deleted Issue Moved Work Logged On Issue Work Started On Issue Work Stopped On Issue Issue Worklog Updated Issue Worklog Deleted Generic Event
All Watchers	Issue Created Issue Updated Issue Assigned Issue Resolved Issue Closed Issue Commented Issue Comment Edited Issue Reopened Issue Deleted Issue Moved Work Logged On Issue Work Started On Issue Work Stopped On Issue Issue Worklog Updated Issue Worklog Deleted Generic Event